



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

Handwritten signature

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/069,696	06/13/2002	Dimitri Donskoy	7604/21/1	3736
------------	------------	-----------------	-----------	------

20694	7590	09/08/2004
-------	------	------------

WOLFF & SAMSON, P.C.
ONE BOLAND DRIVE
WEST ORANGE, NJ 07052

EXAMINER

SAINT SURIN, JACQUES M

ART UNIT	PAPER NUMBER
----------	--------------

2856

DATE MAILED: 09/08/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)	
	10/069,696	DONSKOY ET AL.	
	Examiner	Art Unit	
	Jacques M Saint-Surin	2856	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 26 July 2004.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-47 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-47 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 07/26/04 has been entered.

2. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Claim Rejections - 35 USC § 102/103

3. Claims 1-2, 7, 9-10, 11-12, 17, 19-22, 27, 29-33 38 and 41-43 are rejected under 35 U.S.C. 102(b) as anticipated by Rudd (US Patent 4,554,836) or, in the alternative, under 35 U.S.C. 103(a) as obvious over Russell et al. (US Patent 5,915,050).

Regarding claim 1, Rudd ('836) discloses an electromagnetic wave vibrometer apparatus (laser vibrometer 10, see; Fig. 1 and col. 2, line 24) comprising:

a signal generator (signal generator 22, see: Fig. 1 and col. 2, line 36) for generating an electromagnetic signal;

a modulator for amplitude modulating the electromagnetic signal to produce an amplitude modulated signal (acoustic-optic modulator or Bragg cell 16, see: Fig. 1 and col. 2, line 30) Note that a Bragg cell is known in the art as device for frequency shifting and/or amplitude modulating optical waves, thus, the Bragg cell inherently provide amplitude modulated signal;

Art Unit: 2856

a transmitter (transducer 20, see: Fig. 1 and col. 2, lines 36-37) for transmitting the signal at a vibrating object (object surface 28, see: Fig. 1 and col. 3, line 59);

a receiver (photodetector 32, see: Fig. 1 and col. 3, line 40) for receiving a reflected amplitude modulated signal from the vibrating object (28) and col. 4, lines 3-5 discloses the displacement d is indicative of the amplitude of ultrasonic vibration on surface 28;

a demodulator (demodulator 42 tuned to the acoustic modulation frequency and connected to detector 32 will produce an analog signal E' which is indicative of the actual displacement of vibrating surface 28, see: col. 4, lines 5-9) for demodulating the phase and amplitude modulated signal, a phase demodulator 42; and

a signal processor (visual display and recording device such as oscilloscope or minicomputer, see: col. 4, lines 18-23) for analyzing the vibration waveform of the demodulated signal.

Furthermore, although Rudd discloses an acousto-optic modulator or Brag cell, it does not specifically disclose a modulator for amplitude modulating the electromagnetic signals to produce an amplitude modulated signal. Note that a Brag cell is well known in the art as a device for frequency shifting and/or amplitude modulating optical waves. Russell discloses the Brag cell can operate to shift the frequency of incident light (thereby acting as a switch) or to provide frequency or amplitude modulation of the incident light, see: col. 1, lines 34 and 37. Therefore, it would have been obvious to one having ordinary skill in the art at the time of the invention to utilize a Brag cell in a laser vibrometer or electromagenic vibrometer for providing amplitude modulating signal in a

Art Unit: 2856

reliable manner as evidenced by Russel et al. (US Patent 5,915,050) col. 1, lines 34 and 37) and Lewis (US Patent 6,545, 762) col. 4, lines 35-37.

Regarding claim 11, it is an apparatus claim that recites the same limitations of the device claim 1. Therefore, it is rejected for the reasons set forth for that claim.

Regarding 21, it is a method claim that recites the steps for performing the functions of claim 1. Therefore, it is rejected for the reasons set forth for that claim.

Regarding claim 32, it is a method claim that recites the steps for performing the functions of claim 1. As discussed above, it is rejected for the reasons set forth for that claim. Furthermore, Rudd discloses a phase demodulator 42 tuned to the acoustic modulation frequency, e.g. 40 MHz and connected to photodetector 32 will produce an analog signal E' which is indicative of the actual displacement of vibrating surface 28, see: col. 4, lines 5-9.

Regarding claims 2, 12, 22 and 33, Rudd discloses a laser beam for use as an optical, ultrasonic transducer, see: col. 1, lines 51-52.

Regarding claims 7, 17, 27 and 38, Rudd discloses a laser signal source 12, see: Fig. 1.

Regarding claims 9, 19, 30 and 42, Rudd discloses a second vibration receiver (photodiode 36, see: Fig. 1) mounted with the first receiver 32 for compensation for unwanted background or coupled vibration.

Regarding claims 10, 20, 31 and 43, Rudd discloses a focusing lens 26 that may be a microscope objective lens and is adjustable along the optical axis means of beam B, see: col. 3, lines 6-10.

Regarding claims 29 and 41, Rudd discloses due to this arrangement, it is straight light, as indicated by the arrows S in Fig. 1, from beam A which actually impinges on the photosensitive region 38 along with beam D, this offset arrangement tends to equalize the intensities of the incident beams and prevents saturation of the photodiode 36, see: col. 3, lines 53-57.

Claim Rejections - 35 USC § 103

4. Claims 3-6, 13-16, 24-26 and 35-37 are rejected under 35 U.S.C. 103(a) as being unpatentable over Rudd (US Patent 4,554,836) in view of Kljuev et al. (US Patent 4,481,825).

Claims 3-4, 13-14, 24 and 35 differ from Rudd by reciting a microwave frequency signal. Kljuev ('825) discloses a microwave generator transmitting microwave energy through an antenna a microwave generator transmitting microwave energy through an antenna system to an object to be the antenna system includes an elliptical mirror having a second focal point in the immediate vicinity of the object being investigated, while the radiator is located in the first focal point close to the mirror, said radiator irradiating the whole surface of said mirror (see: col. 2, lines 11-13 and col. 2, lines 11-23). It would have been obvious to one having ordinary skill in the art at the time of the invention to utilize in Rudd the microwave of Kljuev as taught above because it would include an optical guidance used for aiming the mirror of the antenna at the object being investigated thereby the combination would be able to provide a device for measurement of vibrations which ensures good resolution and sensitivity when a large-size object to be measured is located at a considerable distance from the device in a reliable manner.

Art Unit: 2856

Claims 5-6, 15-16 and 25-26 and 36-37 differ from Rudd by reciting a combination of optical and microwave signals. Kljuev et al. ('825) discloses the optical system 20 comprises an objective 22 located on the axis 21 of the mirror 7 in from of the reflector 10 of the radiator 8 as viewed from the investigated object 5, a light guide 23 for transmission of the image of the object 5 (see: col. 4, lines 11-15). Kljuev et al. ('825) further discloses the microwave energy of the generator is transmitted through the waveguide system 3 to the radiator 8 irradiating the entire surface of the mirror 7 of the antenna system (see: col. 4, lines 59-62). It would have been obvious to one having ordinary skill in the art at the time of the invention to be motivated to recognize the advantages of utilizing in Rudd et al. the techniques of Kljuev et al. as taught above because the optical guidance of the device provides high accuracy of aiming the device at any section of the object under study thereby, making the above combination more effective and reliable.

5. Claims 8, 18, 28 and 39 are rejected under 35 U.S.C. 103(a) as being unpatentable over Rudd (US Patent 4,554,836) in view of Flock et al. (US Patent 5,897,494).

Regarding these claims, although Rudd discloses a laser source, it does not specifically disclose or suggest a LED signal source. Flock et al. ('494) discloses a diode laser source 10, see: Fig. 1. Note that in lightwave transmission systems, light emitting diodes or lasers are used as sources of light and these devices are fabricated from multilayered structures of compounds semiconductors epitaxially grown on a single-crystal substrate. It would have been obvious to one having ordinary skill in the art at the time of the invention to utilize in Rudd the light emitting diode of Flock et al.

Art Unit: 2856

as taught above because the LED are used as sources for optical data link applications in which the data rates are less than about 500 megabits per second and the transmission distances do not exceed a few kilometers and moreover, they use less power than normal incandescent light bulbs thereby, making the above combination more efficient.

6. Claim 40 is rejected under 35 U.S.C. 103(a) as being unpatentable over Rudd (US Patent 4,554,836) in view of Wang et al. (US Patent 5,495,767).

This claim differs from Rudd by reciting wherein the generated signal is split into first and second signals and the second signal is transmitted to a demodulator for comparing the second signal with the received reflected signal. Wang et al. discloses a beam splitter 14, see: Fig. 1 and col. 2, line 3. It would have been obvious to one having ordinary skill in the art at the time of the invention to include in Rudd the beam splitter of Wang et al. as taught above because the beam splitter is known for reflecting a first portion of a beam and is also common knowledge in the art and are readily commercially available.

Response to Arguments

7. Applicant's arguments filed Applicant's arguments with respect to claims 1-47 have been considered but are moot in view of the new ground(s) of rejection.

REMARKS

8. In response to applicant's arguments against the references individually, one cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. See *In re Keller*, 642 F.2d 413, 208

Art Unit: 2856


USPQ 871 (CCPA 1981); *In re Merck & Co.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986).


Conclusion

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jacques M Saint-Surin whose telephone number is (571) 272-2206. The examiner can normally be reached on Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hezron Williams can be reached on (703) 305-4705. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Jacques M. Saint-Surin
September 4, 2004


HEZRON WILLIAMS
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2800